

WINDSOR POLICE DEPARTMENT 8 East Windsor Boulevard, P.O. Box 307, Windsor, Virginia 23487 Phone: 757.242.6799 Fax: 757.242.0328



CHIEF ARLIS V. "VIC" REYNOLDS "COMMITTED TO COMMUNITY"

- To: Michael Stallings, Town Manager
- From: Arlis Victor Reynolds, Chief of Police
- Ref: Parking

Sir,

As requested I have obtained an estimate for paving the area adjacent to the driveway so that it can be used for parking here at the new Police Headquarters. We are experiencing more issues with parking problems now that people are becoming more familiar with our location and I am requesting that it be discussed at next weeks town council meeting if that is acceptable for you and Council. Should you or Council need any further information, please just let me know.

Yours In Service,

Arlis Victor Reynolds, Chief of Police

Belcher's Paving Co.

AGDIGHS

Windsor Police Dept. 56 Windsor Blvd Windsor, Va. 23487

Belcher's Paving Co. P.O. Box 220 Windsor, VA 23487

(757)242-4296 eddie@belcherpaving.com http://www.belcherpaving.com

	ទៅរាគ្រាស់ Town of Windsor
	P.O. 307 Windsor, Va.23487
·	

 Stoppof/Work This estimate includes labor, material, and equipment to complete the following: INSTALL PARKING LOT ON RIGHT SIDE OF MAIN DRIVEWAY Excavate grass and topsoil 4" to 6" deep in area to be paved approx.: 150' fl. x 30' fl. and haul away from site. Total sq. ft. 4500 Place and rough grade #21-A base stone in same area an average of 4" deep. Fine grade base stone so storm water drains away properly. Compact base stone with double drum vibratory roller at optimum moisture content to obtain a compacted density of 93% to 95%. Pave same area with 3" (before compaction) of SM-9.5A HMA (hot mix asphalt) and compact with vibratory roller. Stripe parking to according to local and state building codes. Total labor and materials: 	/Amounit
There is a 3% charge on use of credit cards.	\$ 911 £2200000

Accepted Date

Estimate

D (C) * C | Filling (C)No. 1073

11/21/2013

e (Exip:D:|O